Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

ROLLA M. TRYON, Editor-in-Chief
RUSSELL R. WALTON, Managing Editor

Associate Editors

ALFRED LINN BOGLE
GERALD J. GASTONY
RICHARD E. WEAVER
GARRETT E. CROW
NORTON G. MILLER
DONALD H. PFISTER
ROBERT T. WILCE

VOLUME 81

1979

The New England Botanical Club, Inc.
Botanical Museum, Oxford Street, Cambridge, Mass. 02138

INDEX TO VOLUME 81

New scientific names are printed in **bold face**

Alnus 1–121. acuminata 97, ssp. acuminata 100, ssp. arguta 107, ssp. glabrata 115; artificial key 75–77; chromosome numbers 63; ecology 18; economic importance 69; evolution & phytogeography 8; historical account 3; morphology & anatomy 22; oblongifolia 85; phylogenetic trends 64; rhombifolia 90; rubra 79; specimens examined 71; subg. Alnus 77; tables — Chromosome numbers 65, Herbarium specimens from which pollen was obtained 49, Percent of grains having various numbers of pores 53; Size of pollen grains (microns) 53; taxonomic treatment 72.

Alnus 151–258. glutinosa 191; incana 165, ssp. rugosa 167, ssp. tenuifolia 176; index to names of species and infraspecific taxa 240; jorullensis 151, ssp. jorullensis 155, ssp. lutea 160; maritima 217; named hybrids 224; serrulata 182; subg. Alnobetula 196; subg. clethropsis 216; uncertain & excluded names 224; viridis 197, ssp. crispa 200, ssp. sinuata 210.

Alnus (Betulaceae). The systematics of the American species of, 1–121, 151–248.

American species of Alnus (Betulaceae). The systematics of the, 1–121, 151–248.

Angelo, Ray., Ledum groenlandicum rediscovered in Concord, Massachusetts. 285, 286.

Annotated list of the ferns and fern allies of Arkansas. 503–548.

Announcement: Proceedings of the Symposium "Rare and Endangered Plant Species in New England". 587.

Announcement: Symposium "Rare and Endangered Plant Species in New England." Cover IV, No. 825..

Announcement: Thirteenth International Botanical Congress. 147.

Arctic and sub-Arctic plants with notes on pollination. Nectaries of certain, 363–407.

Arkansas. Annotated list of the ferns and fern allies of, 503–548.

Baldwin, Henry I., The distribution of Pinus Banksiana Lamb. in New England and New York. 549–565.

Bawa, Kamaljit S., see Keegan, Christine R.

Beitel, Joseph M., see Hickey, R. James.

Book Review: Aquatic and Wetland Plants of Southeastern United States, 585, 6.

Book Review: The Flora of Cape Cod. 419.

Brackley, Frances E., Cypripedium reginae rediscovered in New Hampshire. 579.

Bylaws of The New England Botanical Club. 275–281.

Cantino, Philip D., Physostegia godfreyi (Lamiaceae), a new species from northern Florida. 409–417.

Carex 131–135. grayii 131; grayii var. hispidula 131; typhina 132; muskingumensis 132.

Carex in Minnesota, Range extensions of, 131–135.

Caribou Range, Northwest Territories, Canada. A vascular flora of, 249–274.

Cerastium clawsonii (Caryophyllaceae): a synonym for Linum hudsonioides (Linaceae). 283–284.
Concord, Massachusetts. Ledum groenlandicum rediscovered in, 285–287.
Crow, Garrett E., see McDonell, Mark J.
Crystal Bog, Crystal, Maine. Drosera linearis Goldie rediscovered in, 145.
Cypripedium reginae rediscovered in New Hampshire. 579.

Demaree, Delzie, see Taylor, W. Carl.
Distribution of Pinus Banksiana in New England and New York. 549–565.
Drosera linearis Goldie rediscovered in Crystal Bog, Crystal, Maine. 145.

Ferns and fern allies of Arkansas. Annotated list of the, 503–548.
Flora of the Caribou Range, Northwest Territories, Canada. A vascular, 249–274.
Florida. Physostegia godfreyi (Lamiaceae), a new species from northern, 409–417.
Furlow, John J. The systematics of the American species of Alnus (Betulaceae) — I. 1–121; II. 151–248.

Gaffney, F., see Rooney, S. C.
Gardner, Robert C., Revision of Lipochaeta (Compositae:Heliantheae) of the Hawaiian Islands. 291–343.
Geocaulon lividum in the Mahoosuc Range, New Hampshire and Maine. 141–143.

Hartman, Ronald L. Cerastium clawsonii (Caryophyllaceae): a synonym of Linum hudsonioides (Linaceae). 283–284.
Hawaiian Islands. Revision of Lipochaeta (Compositae:Heliantheae) of the, 291–343.
Heterostyly in Mitchella repens (Rubiaceae). 567–573.
Heuchera 575–578, **americana** L. var. **hispidula** (Pursh) Wells, comb. nov. 576; **caroliniana** (Rosendahl, Butters, & Lakela) Wells, comb. nov. 575; **parviflora** Bartling var. **puberula** (Mackenzie & Bush)Wells, comb. nov. 577.
Heuchera (Saxifragaceae). New combinations in the eastern species of, 575–578.
Hickey, R. James, & Joseph M. Beitel. A name change for Lycopodium flabelliforme. 137–140.

Instructions to contributors to RHODORA. 149.

Jasieniuk, M. A., & E. A. Johnson. A vascular flora of the Caribou Range, Northwest Territories, Canada. 249–274.
Johnson, E. A., see Jasieniuk, M. A.
Jones, Samuel B., Synopsis and pollen morphology of Vernonia (Compositae:Vernonieae) in the New World. 425–447.

Keegan, Christine R., Robert H. Voss, & Kamaljit S. Bawa. Heterostyly in Mitchella repens (Rubiaceae). 567–573.

Ledum groenlandicum rediscovered in Concord, Massachusetts. 285–286.
Linum hudsonioides (Linaceae). Cerastium clawsonii (Caryophyllaceae): a synonym for, 283–284.
Lipochaeta 291–343. bryanii 329; connata 315, var. connata 316, var. **acris**, comb. & stat. nov. 316; degeneri 308; deltoidea 323; distribution maps 306 & 317; doubtful & excluded names 334; dubia 319; fauriei 324; floral features 294; generic relationships 293; heterophylla 310; hybridization 296; index to exsiccatae 340; integrifolia

333; kamolensis 328; key to the taxa 302; lavarum 330; leaf flavonoid chemistry 297; list of taxa 340; lobata 311, var. lobata 312, var. hastulatoides 314, var. leptophylla 314; micrantha 324, var. micrantha 325, var. **exigua**, comb. & stat. nov., 325; morphological & taxonomic criteria 294; **ovata**, sp. nov., 321, fig. 322; perdita 332; phylogeny 298, diagram 301; **populifolia**, stat. nov., 328; remyi 321; rockii 308; sect. Aphanopappus 318; sect. Lipochaeta 304; subcordata 326; succulenta 305; taxonomic history 292; taxonomic treatment 302; tenuifolia 318; tenuis 320; venosa 327; waimeanensis 323.

Lipochaeta (Compositae:Heliantheae) of the Hawaiian Islands. Revision of, 291–343.

Lycopodium digitatum A. Braun (= L. flabelliforme). 138.

Lycopodium flabelliforme. A name change for, 137–140.

Mahoosuc Range, New Hampshire & Maine. Geocaulon lividum in the, 141–143.

Maine. Drosera linearis Goldie rediscovered in Crystal Bog, Crystal, 145.

Maine. Geocaulon lividum in the Mahoosuc Range, New Hampshire &, 141–143.

Massachusetts. Ledum groenlandicum rediscovered in Concord, 285–286.

McDonnell, Mark J. & Garrett E. Crow. The typification and taxonomic status of Spartina caespitosa A. A. Eaton. 123–129.

McKellar, C. S., see Rooney, S. C.

Minnesota. Range extensions of Carex in, 131–135.

Mitchella repens (Rubiaceae). Heterostyly in, 567–573.

Nectaries of certain Arctic & sub-Arctic plants with notes on pollination. 363–407.

New England & New York. The distribution of Pinus Banksiana Lamb. in, 549–565.

New Hampshire & Maine. Geocaulon lividum in the Mahoosuc Range, 141–143.

New Hampshire. Cypripedium reginae rediscovered in, 579.

New York. The distribution of Pinus Banksiana Lamb. in New England &, 549–565.

New World. Synopsis & pollen morphology of Vernonia (Compositae: Vernonieae) in the, 425–447.

Northwest Territories, Canada. A vascular flora of the Caribou Range, 249–274.

Notice from Flora North America Project: Vascular plants of North America north of Mexico. 289.

Notices of Publication:

The Agaves of Baja California 421;

Concord Area Shrubs 287;

A Guide to the Literature on the Herbaceous Vascular Flora of Ontario 581;

An Index to the Vascular Plants of Willdenow's Species Plantarum, Volumes I–V (1), 1797–1810. 287;

Le Naturaliste Canadien, Index. 423;

Preliminary Checklist of the Vascular Flora of Connecticut (Growing Without Cultivation). 583.

Olsen, John S. Systematics of Zaluzania (Asteraceae:Heliantheae) 449–501.

Phillippi, Ann, & R. J. Tyrl. The reproductive biology of Proboscidea louisianica (Martyniaceae). 345–361.

Physostegia godfreyi (Lamiaceae), a new species from northern Florida. 409–417.

Physostegia godfreyi, sp. nov., 409–417. description 415; distribution map 414; photo of Holotype 416.

Pinus Banksiana Lamb. in New England & New York. The distribution of, 549–565.

Pollen morphology of Vernonia (Compositae:Vernonieae) in the New World. Synopsis &, 425–447.

Proboscidea louisianica (Martyniaceae). The reproductive biology of, 345–361.

Program of Symposium: "Rare and endangered plant species in New England". 290.

Range extensions of Carex in Minnesota. 131–135.

Reproductive biology of Proboscidea louisianica (Martyniaceae). The, 345–361. breeding system 355; insect visitors & pollination 350; phenology 347; sensitive stigma 353; tables — insect visitors 351, % fruit set 356, % germination of selfed vs. crossed seeds 358, seeds/fruit in selfed vs. out-crossed 357.

Revision of Lipochaeta (Compositae: Heliantheae) of the Hawaiian Islands. 291–343.

Rooney, S. C., C. S. McKellar, & F. Gaffney. Drosera linearis Goldie rediscovered in Crystal Bog, Crystal, Maine. 145.

Spartina caespitosa A. A. Eaton. The typification & taxonomic status of, 123–129.

Stern, Roger. Geocaulon lividum in the Mahoosuc Range, New Hampshire & Maine. 141–143.

Swales, Dorothy E. Nectaries of certain Arctic & sub-Arctic plants with notes on pollination. 363–407.

Symposium announcement: "Rare & endangered plant species in New England". Cover IV, No. 826

Synopsis & pollen morphology of Vernonia (Compositae:Vernonieae) in the New World. 425–447.

Systematics of the American species of Alnus (Betulaceae) I. The, 1–121.

Systematics of the American species of Alnus (Betulaceae) II. The, 151–248.

Systematics of Zaluzania (Asteraceae: Heliantheae). 449–501.

Taylor, W. Carl, & Delzie Demaree. Annotated list of the ferns & fern allies of Arkansas. 503–548.

Typification & taxonomic status of Spartina caespitosa A. A. Eaton. The, 123–129.

Tyrl, R. J., see Phillippi, Ann

Vascular flora of the Caribou Range, Northwest Territories, Canada. A, 249–274.

Vernonia (Compositae:Vernonieae) in the New World. Synopsis & pollen morphology of, 425–447.

Vernonia 425–447. Sections: Hololepis 432; Leiboldia 432; Vernonia 433. Series: **Arborescentes**, stat. nov., 445; **Aureae**, ser. nov. 442; **Brevifoliae**, stat. nov., 438; **Canescentes**, ser. nov., 443; **Flexuosae**, stat. nov. 442; **Foliatae**, stat. nov. 444; Macrolepidae 440; **Nudiflorae**, ser. nov., 437; **Pallescentes**, stat. nov., 445; **Remotiflorae**, stat. nov., 441; **Sagraneae**, stat. nov., 444; **Scorpioides**, ser. nov., 440; **Subulatae**, ser. nov., 439; **Verbascifoliae**, ser. nov., 438. Subgenus Vernonia 431. Subsections: Buxifoliae 435; Chamaedrys 436; **Eremosis**, stat. nov., 435; Noveboracenses 433; Nudiflorae 437; Polyanthes 434; Scorpioides 440; **Stenocephalum**, stat. nov., 437.

Voss, Robert H. see Keegan, Christine R.
Viguiera triloba (= Zaluzania grayana), comb. nov., 469.

Wells, Elizabeth Fortson., New combinations in the eastern species of Heuchera (Saxifragaceae). 575–578.
Wheeler, Gerald A., Range extensions of Carex in Minnesota. 131–135.

Zaluzania (Asteraceae:Heliantheae). Systematics of, 449–501.
Zaluzania 449–501. augusta 484, var. augusta 486, var. rzedowski 488; cytological studies 457; discoidea 474; distribution maps 450 & 452; excluded taxa 497; generic relationships 453; geography & ecology 449; key to the species 471; megacephala 477, var. **conhuilensis**, var. nov., 479, var. megacephala 477; mollissima 480; montagnifolia 492; palynology 463; phylogeny 464, tree diagram 466; pringlei 490; sodiroi 495; subcordata 483; tables — Chromosome numbers 458, Comparison of recent taxonomic dispositions of taxa 454, Divergence values for taxa 468, Measurements of acetolyzed pollen 464; taxonomic history 451; taxonomic treatment 470; triloba 471; Viguiera triloba (= Z. grayana) 469.

Volume 81, No. 827, including pages 291–424, was issued July 31, 1979.